RSB115 . Z9B891

Member of the
American Association of Nurserymen
N. Y. State Nurserymen's Association
L. I. Nurserymen's Association

Bulk's Nurseries Bulk's Nurse

Ry IRAR

LIBRAR

RECI

A FEB18 1957

U. S. Department of Agriculture



SPRING-1957

You are always welcome at Bulk's Nurseries. Come to see us and we will be happy to show you our many blocks of fine well grown stock, especially suited for the landscape trade.

Growers of

Choice Nursery Stock

for over 30 years

Bulk's Nurseries Babylon, L. J., N. Y.

Telephone: MOhawk 9-4400

Evenings: MOhawk 9-5728

MOhawk 9-4928

Terms and Conditions of Sale:

The prices published in this list cancel those in all previous lists. They are based on present market conditions and are subject to change without notice.

Prices listed are F.O.B. our Nurseries. Transportation at cost borne by the purchaser.

Quantities 1 to 5 at the each rate; 5 to 25 at the 10 rate; 25 and over at the 100 rate.

All $s t \circ c k$ when especially selected on the nursery will be sold at prices commensurate with the values of the specimens chosen.

Because of prevailing conditions we are unable to do any baling or boxing.

Guarantee: As we have no control over conditions after the plants leave the nursery, we will not replace plants that fail to live or thrive.

Claims: All claims must be made immediately upon receipt of stock.

Terms: Cash with order, or 30 days to parties who have established credit with us.

Balling and burlapping free of charge on evergreens, and also on deciduous stock where B&B is specified; but an additional charge will be made if deciduous stock, not marked B&B, is requested balled and burlapped.

SCHEDULE	OF BALL	ING CHARG	ES
Approximate	Cost Depen	ding on Varie	ties
DECIDUOUS TI		per 10 pe	ach r 100
$1\frac{1}{4}$ - $1\frac{1}{2}''$ Ca $1\frac{1}{2}$ - $2''$	nper	\$ 4.50 5.75	
$ar{2}$ - $2rac{1}{2}^{\prime\prime}$,,	8.50	
$2\frac{1}{2} - 3''$;; ·	11.00	
$3-3\frac{1}{2}^{\prime\prime} \ 3\frac{1}{2}-4^{\prime\prime}$,,	$15.00 \\ 20.00$	
$\frac{324}{4\cdot 4\frac{1}{2}''}$; ,	28.00	
$4\frac{1}{2}$ -5"	"	38.00	
5-6" 6-7"	,,	$48.00 \\ 60.00$	
7-8″	,,	80.00	
FLOWERING S	HRUBS		
2-3'		.65	
3-4'		.75	
4-5'		1.00	ł .
5-6'		1.50	
6-8'		2.50 to 3.50	
8-10'		5.00 to 6.00	

The cost of platforms is in addition to the above charges; but will be rebated if they are returned to our nurseries.

In addition to this list we have a Retail Catalogue (with regular discount to the trade) which we will gladly mail upon request.

		Each	Each per 10	Each per 100
ABELIA g	randiflora			
Cans	$1-1\frac{1}{2}'$	1.50	1.25	
ABIES do	uglasi (Đo	uglas Fir)		
2-3'		4.25	4.00	3.75
3-4'		5.50	5.00	4.50
4-5'		7.00	6.50	6.25
5-6'		9.50		
ACER pal	matum atr	opurpurea (Jap Red I	Maple)
$1\frac{1}{2}-2'$		6.75		_
$2-2\frac{1}{2}$,,	8.00	7.00	
$2\frac{1}{2}$ -3'	,,	11.00	10.00	
3-4'	,,	14.50		
A. platano	ides (Norwa	ay Maple)		
$1\frac{3}{4}-2''$	Cal.	11.00	10.00	9.50
$2-2\frac{1}{4}''$,,	15.00	13.50	12.50
$2\frac{1}{4}$ - $2\frac{1}{2}$ "	,,	17.00	16.00	15.00
$2\frac{1}{2}$ -3"	,,	21.00	19.00	18.00
$\overline{3}$ - $3\frac{1}{2}^{\prime\prime}$,,	27.00		
$3\frac{1}{2}$ -4"	,,	33.00		

PLATANUS ACERIFOLIA



	BULK	S NUI	SERI	ക	ა ————
A. platanoi		on king		t Pat. N	Each per 100 o. 735)
4 4 4 1 77		on King	_		
$1\frac{1}{4}$ - $1\frac{1}{2}$	Cal. 8	-10′ 13			
$1\frac{1}{2}$ - $1\frac{3}{4}''$	"	' 17	$^{\prime}.50$	16.00	15.00
$1\frac{3}{4}$ -2"	"	" 20	00.0		
AMYGDAI	.US persi Red Peach		a ple	no (Dou	ble
7-8′		'	.00		
APPLES i	n varietie	es.			
5 to 6	-yr. 6-	8′ \$	3.50	to \$ 7.	00 each
Large	r Sizes	\$	88.00	to \$20.	00 each
AZALEA	amoena (purple-1	ed)		
$12-15^{\prime\prime}$		2	2.50	2,25	2.00
15-18′′		3	.00	-2.75	-2.50
$1\frac{1}{2}$ -2'		4	.00	3.75	3.50
$2-2\frac{1}{2}$		5	5.50°	5.00	4.75
A. calendu	lacea (ye	llow to	orang	e)	
2-3'		3	3.75		
3-4'		4	.75		

(London Plane) FALL 1956




	Each	Each per 10	Each per 100
A. kaempferi (Torch Az	alea)		•
15-18"	3.00		
$1\frac{1}{2}$ -2'	4.00	3.75	
$2 \cdot 2 \cdot \frac{1}{2}$	5.50		
A. Fedora Kaempferi h	vbrid (sa	lmon-rose	e)
	4.25	4.00	,
$1\frac{1}{2}$ -2'	5.75	5.50	
$2-2\frac{1}{2}$	0.10	5.50	
A. Firefly (scarlet)	0.50	0.05	0.00
12 - 15''	2.50	2.25	2.00
15-18′′	3.50	3.00	2.75
$1\frac{1}{2}$ -2'	4.25	4.00	3.75
$2-2\frac{1}{2}$	5.75	5.50	
A. Hinodegiri (red)			
12-15"	2.75	2.50	2.25
15-18"	3.50	3.25	3.00
$1\frac{1}{2}-2'$	4.50	4.25	
-			
A. hinomayo (Shell Pinl		2.50	2.25
12-15"	2.75		2.25
15-18"	3.50	3.25	3.00
18-24"	4.50	4.25	
A. kurume (Orange Bea	uty)		
15-18′′	3.50	3.25	
18-24"	4.50	4.25	
A. ledifolia alba (White)			
15-18"	3.50	3.25	
18-24"	4.50	4.25	4.00
$2 - 2\frac{1}{2}$	5.75	5.50	
A. lilacina (Lilac)	0	0.00	
15-18"	3.50	3.25	3.00
13-16 $1\frac{1}{2}-2'$	$\frac{3.30}{4.25}$	$\frac{3.23}{4.00}$	3.75
	5.50	5.00	3.13
2-2½′			
A. pontica in varieties			
18-24"	4.25	3.75	3.50
$2-2\frac{1}{2}'$	5.25	4.75	4.25
$2\frac{1}{2}$ -3'	6.50	6.00	
A. poukhanensis (Kore	an Azalea	.)	
15-18"	3.50	3.25	
$2-2\frac{1}{2}$	5.50	5.00	
A. rhombica (Pale Lav			
18-24"	4.25		
$\frac{10^{-24}}{2 \cdot 2^{\frac{1}{2}'}}$	5.50	5.00	
		5.00	
A. schlippenbachi (Soft		0.05	
15-18"	3.50	3.25	
$1\frac{1}{2}$ -2'	4.25	4.00	
$2-2\frac{1}{2}$	5.50		
BERBERIS Julianae (W	intergreen	Barberry	y)—B&B
12-15"	2.00	1.75	1.50
15-18"	2.50	2.25	2.00
$1\frac{1}{2}-2'$	3.50	3.25	2.90
$\frac{1}{2}$ - $\frac{1}{2}$ '	4.50	4.00	2.50
Container Grown	2.25	2.00	
Container Grown	2.20	4.00	

16, 183		Each	Each per 10	Each per 100
B. thunbergi (Jap. 1	Barberi		per 10	per 100
15-18"		.40	.35	.27
$1\frac{1}{2}$ -2'		.50	.40	.35
$2 - 2\frac{1}{2}'$.60	.50	.40
$2\frac{1}{2}$ - $3'$.70	.60	.50
B. thunbergi atropur	-purea	(Jap.		
15-18′′		.50	.45	.38
$1\frac{1}{2}$ -2'		.60	.55	.50
2 - $2\frac{1}{2}$ '		.70	.60	.55
$2\frac{1}{2}$ -3'		.80	.70	.65
BETULA alba (Euro) Clumps, B		Vhite 1	Birch)	
4-5'		4.00	3.50	
5-6' "		6.00	5.50	
6-8' " "		8.00	7.50	
BIOTA — See Thuj				
BUDDLEIA (Butterf Dubonnet, Wine		sh) _	- Charming	Pink,
Dubonnet, Wine	· neu	.85	.65	
CASTANEA mollissi	ma (C			
6-8' Extra Hea			e Chesthut)	
8-10' "		$6.50 \\ 9.00$		
0 20	·	9.00		
CHAMAECYPARIS			G	
C. obtusa cripsi (Gol			Cypress)	
$2\frac{1}{2}$ -3'		5.25	1	
C. obtusa gracilis (S			ki Cypress)
$2\frac{1}{2}$ -3'		4.50		
$3-3\frac{1}{2}$		6.25	6.00	
$3\frac{1}{2}-4'$		7.50		
4-5'		0.00		
5-6'		4.50		
C. obtusa gracilis nar			noki Cypres	s)
$5-5\frac{1}{2}$		0.00		
6-7'	50	0.00		
C. plumosa (Plume				
$1\frac{1}{2}$ -2'		2.25	2.00	1.65
2 - $2\frac{1}{2}$ '		2.75	2.50	2.15
$2\frac{1}{2}$ -3'		3.25	3.00	2.70
3-4'		3.85	3.50	3.20
4-5'		5.25	4.75	4.25
C. pisifera aurea (G	olden (Sawar	a Cypress)	
2 - $2\frac{1}{2}$ '		2.75	2.50	2.25
$2rac{1}{2} ext{-}3^{7}$;	3.25	3.00	2.75
3-4'		4.00	3.75	
4-5'		6.00	5.50	
5-6'	- 8	8.00	7.25	
6-7'	10	0.00	9.00	
C. plumosa aurea (G	old Du	ıst)		
15-18"		1.75	1.50	1.35
$1\frac{1}{2}-2'$		2.25	2.00	1.75
$\overset{-2}{2}$ - $\overset{-2}{2}$ '		2.75	2.50	2.15


CHAMAECVPAR!	Each IS Plumosa Aurea	Each per 10	Each per 100
$2\frac{1}{2}$ -3'	3.25	3.00	2.70
$3-3\frac{1}{2}$	3.75	3.50	3.25
$3\frac{1}{2}-4'$	4.75	4.25	0.20
4-5'	6.50	1.20	
C. filifera (Threa			
$2-2\frac{1}{2}$	3.00	2.85	
$2\frac{\cancel{2}}{\cancel{2}}$ $2\frac{\cancel{1}}{\cancel{2}}$ - $3'$	3.50	3.25	
$2\frac{2}{2}$ -3 $3-3\frac{1}{2}$	4.00	3.75	
3-อฐิ 3ฐ-4′			
$\frac{3\overline{2}-4}{4-4\overline{2}'}$	5.00 6.50	4.50	
-			
C. squarrosa (M			
$1\frac{1}{2}$ -2'	2.25	2.00	1.75
$2-2\frac{1}{2}'$	2.75	2.50	2.15
$2\frac{1}{4}$ -3'	3.25	3.00	2.70
$3\frac{1}{2}$ -4'	5.00		
4-5'	6.50		
CORNUS flor. rub	ora — B&B		
4-5'	8.50	7.75	
5-6'	12.00	11.00	
6-7'	17.00		
7-8'	22.00		
	se Dogwood) B&B		
6-7'	12.00		-
7-8′	15.00		
C. mas B&B	4.50		
4-5' Heavy			
5-6' "	6.00		
	ood Twig Dogwood)		
2-3' 3-4'	.90	.80	
-	1.00	.90	
	ea (Yellow-Twig D	_	
$\frac{2-3'}{3-4'}$.90	.80	
3-4 4-5'	$1.00 \\ 1.25$	1.10	
-			
COTONEASTER Container G	adpressa (Prostrat rown 3.00	e Cotone	aster)
Container G.	10WII 3.00		

TAXUS CUSPIDATA (Spreading)




	Each	Each per 10	Each per 100
C. divaricata — B&B			per 100
2-3'	2.25	2.00	1.75
3-4'	3.00	2.75	2.50
4-5'	3.75	3.50	3.25
C. horizontalis (Rock C	otoneaster))	
Container Grown	2.75		
C. foveolata — B&B			
2-3'	2.25	2.00	1.75
5-6'	4.50		
CRYPTOMERIA jap. Lo	bbi		
3-4'	5.00		
4-5'	6.00		
DEUTZIA crenata P. of			sea
3-4'	.80	.70	
4-54	1.00	.90	
5-6'	1.35	1.10	
D. gracilis (Slender Det			
15-18"	.75	.65	
$1\frac{1}{2}$ -2'	.90	.80	
ENKIANTHUS (Red V			B&B
2 - $2\frac{1}{2}$ '	3.00	2.75	
$2\frac{1}{2}$ -3'	4.00	3.50	
3-4'	5.00	4.50	
EUONYMOUS vegetus	(B&B)		
15-18" Heavy	1.75	1.50	1.25
$1\frac{1}{2}$ -2' "	2.00	1.75 -	1.50
$2-2\frac{1}{2}$ ' "	2.50	2.25	2.00
$2\frac{1}{2} - 3^{7}$	3.00	2.75	
FORSYTHIA fortunei			
F. intermedia			
3-4'	1.00	.90	
F. spectablis			
3-4'	1.00	.90	
4-5'	1.10	1.00	.90
5-6'	1.50	1.25	1.10
6-7'	1.75	1.50	
IER 1956			
ARIAN AUUU			

SUMMER 1956



- BULKS	Each	Each per 10	Each per 100
F. Spring Glory	Dach	per ro	por roo
4-5'	1.10	1.00	.90
5-6'	1.50	1.25	1.10
GLEDITSIA triacanthos (Thornless Honey			
6-8' $1-1\frac{1}{4}''$ Cal	4.00	3.50	
8-10′ 1 ¹ / ₄ -1 ¹ / ₂ ″ Cal	5.25	4.75	
8-10' $1\frac{1}{2}$ -2" " HALESIA tetraptera (Si	7.00 ilver Rell'	6.25	
3-4'	1.50	1.25	
4-5'	$\frac{1.50}{2.00}$	1.75	
6-8'	6.00	1.10	
8-10'	8.00		
HEDERA helix (English	Ivy)		
2 Year	.35	.30	.25
5" Pots	.60	.50	
HYDRANGEA arb. gran			now)
3-4'	1.10	1.00	
H. hortensis (Blue Hydr		1 77	
4 Year Plants Pot Grown	$\frac{2.00}{1.50}$	$1.75 \\ 1.25$	
HYDRANGEA pee gee	1.50	1.20	
2-3'	.90	.80	
3-4	1.10	1.00	.85
4-5'	1.50	1.25	1.00
HYPERICUM aureum			i
$1\frac{1}{2}$ -2'	.70	.60	.50
2-3'	.80	.70	.60
ILEX bullata (Japanese	Boxleaf I	Holly)	
15-18"	3.75	3.50	3.00
18-24"	5.00	4.50	4.00
$2-2\frac{1}{2}'$	6.50	6.00	
I. crenata (Jap. Holly)	0.55	0.50	0.05
$1\frac{1}{2}$ -2'	$\frac{3.75}{5.00}$	3.50	3.25
$2 - 2\frac{1}{2}'$ $2\frac{1}{2} - 3'$	5.00	4.50	4.25
$\frac{2}{2}$ -3 $\frac{3}{2}$	$\begin{array}{c} 6.00 \\ 7.75 \end{array}$	$\frac{5.50}{7.00}$	5.25
$3\frac{1}{2}-4'$	8.75	8.00	
4-5'	11.00	10.00	
I. crenata (Spreading		20100	
18-24′′	4.50	4.25	3.90
$2-2\frac{1}{2}'$	5.50	5.25	5.00
$2\frac{1}{2}$ -3'	7.00	6.50	
I. crenata compacta	4.00	0 ==	
15-18" Spread	4.00	3.75	
12-2	5.00	4.50	
\mathcal{L} - \mathcal{L} $\overline{2}$	6.50	6.00	
I. cr. rotundifolia $1\frac{1}{2}$ -2'	5.00	4.50	
$\frac{1}{2}$ -2' 2 - $\frac{1}{2}$ '	6.25	$\frac{4.50}{5.75}$	
4-42	0.40	0.10	

I. glabra (Inkberry)	Each	Each per 10	Each per 100
15-18"	9.50	0.05	0.00
$1\frac{1}{2}-2'$	2.50	2.25	2.00
	3.00	2.75	2.50
$\frac{2-2\frac{1}{2}'}{2}$	3.75	3.50	3.25
$2rac{1}{2}$ - $3'$	5.00	4.50	
I. opaca (American Ho	olly)		
2-3'	5.00	4.50	
Selected berried p			al.
I. verticillata (Winterb			
2-3'	1.25	1.00	.85
3-4'	1.35	1.15	1.00
4-5'	1.75	1.50	1.00
JUNIPERUS chinensis (Pfitzer Juniper)	pfitzeriar	ıa	
$1\frac{1}{2}$ -2'	3.75		
$ar{2}$ - $2rac{1}{2}$	4.75		
$2\frac{1}{2}$ - 3 '	6.00	5.50	
3-31/	7.50	0.00	
$3\frac{1}{2}$ -4'	9.50		
J. chinensis columnaris			
(Columnar Chine			
		F)	
4-5'	6.50		
5-6'	8.50		
12-14′	35.00		
14-16′	43.00		
16-18′	50.00		
J. communis hibernica	(Irish Jun	iper)	
J. communis suecica (S	wedish Ju	niper)	
3-4'	3.00	2.75	
4-5'	3.75	3.50	
J. stricta		0.00	
15-18"	2.00	1.75	1.60
$1\frac{1}{2}$ -2'	$\frac{2.75}{2.75}$	$\frac{1.70}{2.50}$	2.25
$\frac{1}{2}$ $\frac{2}{2}$ $\frac{1}{2}$	$\frac{2.75}{3.50}$	$\frac{2.50}{3.25}$	4.40
-			
J. glauca hetzi (Hetz's Sp			0.05
15-18"	2.75	2.50	2.25
$1\frac{1}{2} \cdot 2'$	3.50	3.25	3.00
$2-2\frac{1}{2}$	4.50		
$2\frac{1}{2}$ -3'	5.25		
J. keteleeri (Keteleer C	edar)		
4-5'	7.00		
5-6'	9.00		
LABURNUM vossi (Go. 8-10' 1\frac{1}{4}-1\frac{1}{2}'' Cal.		n) — B&	В
LESPEDEZA formosa			
(Purple Bush Cl	Ovow)		
		74	
(Good Deep Heavy	1.25	1.00	
LEUCOTHOE catesbaei	(Droopin	g Leucoth	ioe)
15-18"	3.00	2.75	2.50
$1\frac{1}{2}$ -2'	3.50		2.00
12-2	0.00	0.20	



AIR VIEW OF MAIN NURSERIES SOUTH SIDE OF Rt. 27A

Ea	ch per 10	Each per 100	Each Each Each per 10 per 100
LIGUSTRUM ibota regelianum	ı (Regel's Pri	vet)	LONICERA grandiflora (Bush Honeysuckle)
-2 I	50 .40 70 .60	$.32\frac{1}{2}$ $.50$	3-4' 1.00 .90 4-5' 1.10 1.00 .90 5-6' 1.35 1.10 1.00
L. ovalifolium (California Priv	vet)		MAGNOLIA soulangeana — B&B
	25 .22 40 .30	.20 $.25$	4-5' 7.50 5-6' 10.50
LIQUIDAMBER styraciflua 13-2" Cal. 15.5		B&B	6-7' 14.00 M. soulangeana nigra and lennei — B&B 4-5' 9.00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			5-6' 12.00 M. halleana (Stellata) (white) — B&B
$2\frac{1}{2}$ -3" " 32.0 33 $\frac{1}{2}$ " " 40.0			2-3' Heavy 8.00 5-6' " 18.00



12 BULK'S	NURSERIE	2	
	Each	Each per 10	Each per 100
MALUS (Flowering Cra	b) arnoldia		hopa
6-8′ Heavy	7.00	6.00	
6-8' B&B Heavy		9.00	
8-10' Heavy	9.00	8.00	
8-10' B&B Heavy	12.50	11.50	
MYRICA pennsylvanica B&B	(Bayberry)		
$1\frac{1}{2}$ -2'	2.75	2.50	
$\overset{1}{2}\overset{2}{-2}\overset{1}{\overset{1}{2}}{}'$	3.25	$\frac{2.00}{3.00}$	
$\frac{2}{2}\frac{1}{2} - \frac{3}{3}$	4.25	4.00	
OXYDENDRUM arbore	um		
B&B	4.25	4.00	
3-4'	$\frac{4.25}{6.00}$	5.50	
4-5'	8.50	$\frac{5.30}{7.75}$	
5-6'			
PHILADELPHUS Mt. I			
3-4'	.90	.80	.70
4-5'	1.00	.90	.80
5-6'	1.35	1.10	
6-7'	1.75	1.50	
P. Avalanche (double	•		
3-4'	.90	.80	.70
4-5'	1.00	.90	.80
5-6'	1.35	1.10	1.00
6-7'	1.75	1.50	1.25
7-8'	2.50	2.00	
PHOTINIA villosa (Cl	hinese Chri	stmas B	erry)
3-4'	1.25	1.00	
4-5'	1.50	1.25	1.00
5-6'	2.00	1.75	1.50
6-7'	2.50	2.25	2.00
8-10′	3.75	3.50	
PHYSOCARPUS opuli			
4-5'	1.10	1.00	1 00
5-6'	1.50	1.25	1.00
6-7'	1.75	-1.50	
P. opulifolius nana (I		Bark)	
5-6′ 6-8′	$\frac{2.00}{3.50}$		
PICEA excelsa (Norwa			
2 - $2\frac{1}{2}$ '	2.75	2.50	
$2\frac{1}{2}$ -3'	3.50	3.25	
3 - $3\frac{1}{2}$ '	4.25	4.00	
PIERIS japonica (And	lromeda)		
15-18"	3.50	3.25	•
11-2'	4.50	4.25	
$2-2\frac{1}{2}$	6.25	-160	
PINUS densiflora (Jag		Dine\	
$2-2\frac{1}{2}'$	3.25	3.00	
$2\overset{\cancel{}\phantom{$	$\frac{3.25}{4.00}$	3.65	
$\frac{2}{3}$ -4'	$\frac{4.00}{6.50}$	60.6	
92-I	0.50		

BULK	'S NURSERI	ES	13
PINUS strobus (Whit	Each	Each per 10	Each per 100
3-4'		E 00	
3-4 4-5'	$\begin{array}{c} 6.00 \\ 7.50 \end{array}$	$\begin{array}{c} 5.00 \\ 6.00 \end{array}$	
- 0		0.00	
P. thunbergi (Jap. B) $2-2\frac{1}{2}$		9.75	2 50
$2\frac{2}{2}$ $2\frac{1}{2}$ $3'$	$\frac{4.00}{5.00}$	$\frac{3.75}{4.75}$	$\frac{3.50}{4.50}$
$3-3\frac{1}{2}$	6.50	$\frac{4.75}{6.25}$	4.50
$3\frac{1}{2}$ -4' Heavy	10.00	0.20	
4-5'	13.00		
5-6' "	17.50		
PLATANUS acerifol		e)	
(London Plane		,	
$1\frac{1}{2}$ - $1\frac{3}{4}$ " Cal.	7.75	7.25	6.75
$1\frac{3}{4}$ -2" "	10.00	9.50	9.00
$2-2\frac{1}{4}''$ "	13.25	12.75	12.25
$2\frac{1}{4}$ - $2\frac{1}{2}$ " "	16.00	15.50	
$2\frac{1}{2} - 2\frac{3}{4}''$ "	19.50	18.50	
$2\frac{\bar{3}}{4}-3''$ '' $3-3\frac{1}{2}''$ ''	22.75	22.00	
∂-∂ 2	26.00		
POPULUS nigra itali		ly Poplar)	
5-6'	$\frac{1.25}{1.75}$	1.50	1.05
6-8' 8-10'	$\begin{array}{c} 1.75 \\ 2.25 \end{array}$	$\begin{array}{c} 1.50 \\ 2.00 \end{array}$	1.25
10-12'	$\frac{2.23}{3.00}$	$\frac{2.00}{2.75}$	2.50
12-14'	$\frac{3.00}{4.00}$	$\frac{2.75}{3.60}$	2.00
PRUNUS Kwansan (Jap. Floweri)
6-8'	6.50		
P. maritima (Beach 3-4'	1.75		
4-5'	$\frac{1.75}{2.50}$	2.25	
PYRACANTHA cocci	inea Lalandi		n)
Container Grov		0.50	
$1\frac{1}{2}$ -2' 2-3'	$\begin{array}{c} 2.75 \\ 3.25 \end{array}$	$\frac{2.50}{3.00}$	
		5.00	
RHODODENDRON 1			
(Great Bay Rh)	
$\begin{array}{ccc} 2 - 2 \frac{1}{2}' & \text{Heavy} \\ 2 \frac{1}{2} - 3' & " \end{array}$	$\frac{4.25}{5.50}$		
$\frac{2}{3}$ -3 "	7.50		
RHODODENDRON H		iation Cor	notoous
Crimson; Cata			
biense gr. fl.,	Lilac; Dr. H	. C. Dres	selhuys,
biense gr. fl., Crimson; Prof.	Bettex, Red;	English l	Roseum,
Rose-lavender			
15-18"	5.50	5.25	5.00
$1\frac{1}{2}$ -2'	7.00	6.50	6.00
$2-2\frac{1}{2}'$	9.00	8.50	
RHODODENDRON h	-		
Boursault (Ros		4 55	4 = 0
15-18"	5.25	4.75	4.50
$1\frac{1}{2}$ -2'	6.50	6.00	5.50

RHODODENDRON	Each hybrid boursault	Each per 10 (contin	-
2 - $2\frac{1}{2}$ '	8.50	8.00	7.50
$2\frac{1}{2}$ -3'	11.50		
RHUS cotinus (Sme	oke Tree)		
2-3'	1.25	1.00	
3-4'	1.75	1.50	

ROSES

2-Year — 80 cents Potted 1.25

HYBRID TEA

Condessa de Sastago — bicolor
Crimson Glory — red
Eclipse — reddish gold
Ena Harkness — crimson scarlet
Kaiser in Auguste Viktoria — white
Konigin Carola — pink
McGredy's Scarlet — red
Sister Therese — yellow

FLORIBUNDA

Anne Poulsen — red Floradora — orange scarlet Improved Lafayette — red

CLIMBING ROSES

Blaze — red Golden Emblem — yellow bicolor New Dawn — pink Pauls Scarlet Climber — red

TAXUS MEDIA HICKSI



BULK'S N	URSERI	ES	15
	Each	Each per 19	Each per 100
SALIX babylonica (Weep	ing Will	ow)	
6-8'	2.25	2.00	1.75
8-10' $1\frac{1}{2}$ - $1\frac{3}{4}$ " Cal.	4.75	4.25	4.00
$10-12'$ $1\frac{3}{4}-2''$ "	5.75	5.25	5.00
$10-12'$ $2-2\frac{1}{2}''$ "	8.00		
S. purpurea nana (Dwarf	Purple	Willow)	
2-3'	$1.\overline{00}$.75	•
SOPHORA japonica (Page	oda Tree)	ı	
4-5'	4.50		
5-6'	6.50		
6-7'	9.00		
SPIREA Anthony Watere	r		
$1\frac{1}{2}$ -2'	.85	.75	
2-3'	1.00	.85	
S. van Houttei (Bridal W		.00	
2-3'	.90	.80	.70
3-4'	1.10	.90	.80
SYMPHORICARPOS race			
2-3'		Snow Ber	• .
3-4'	.70	.60	.55
3-4' 4-5'	.85	.70	
4-5	1.10	.90	
S. vulgaris (Coral Berry))		
2-3'	.70	.60	.55
3-4'	.85	.70	.65
4-5'	1.10	.90	
SYRINGA japonica			
4-5'	2.00		
5-6'	2.75		

(Hick's Yew) SUMMER 1956



	Each	Each per 10	Each per 100
SYRINGA vulgaris	(Common	Lilac)	
2-3' Heavy	2.00	1.75	
3-4' "	2.50	2.25	
S. (French Hybrid	Lilac) (in	varieties)	$\mathbf{B} \& \mathbf{B}$
2-3' Heavy	3.00	2.75	2.50
3-4' "	3.75	3.50	

THE YEW

The quality of Bulk's Taxus is widely known.

Our prices represent excellent values.

TAXUS baccata repandens

(Spreading English Yew)

15-18" 4.25 4.00

T. cuspidata (Spreading Jap. Yew)

15-18′′	3.75	3.50	3.25
$1\frac{1}{2}$ -2'	4.75	4.50	
$2-2\frac{1}{2}'$	6.00	5.50	
$2\frac{1}{2}$ -3'	8.50	8.00	
$3-3\frac{1}{2}'$	13.00		

T. cusp. bulki (Bulk's Yew). (Same habit of growth as Taxus cuspidata, but with excellent very dark foliage, a choice plant.)

15-18′′	4.00	3.75	3.50
$1\frac{1}{2}$ -2'	5.00	4.75	4.50
$\overline{2}$ - $2\frac{1}{2}$ '	6.25	5.75	

T. cuspidata capitata (Upright Jap. Yew)

· caspiania capitata	(Christia out.	,
$2 - 2\frac{1}{2}'$	5.75	5.25
$2\frac{1}{2}$ -3'	6.75	6.25
$3 - 3\frac{1}{2}'$	7.75	
$3\frac{1}{2}$ - $4^{'}$	9.75	
$-\frac{1}{4}$	13.00	
$4-4\frac{1}{2}'$ Heavy	14.50	
$4\frac{1}{2}-5'$	15.00	
$4\frac{1}{2}$ -5' Heavy	18.00	
$5-5\frac{1}{2}'$ Reg.	19.50	18.00
$5-5\frac{3}{4}$ Heavy	22.50	21.00
$5\frac{1}{2}$ -6' Reg.	23.00	
$5\frac{1}{2}$ -6' Heavy	28.00	
6-7' Reg.	31.00	28.00
6-7' Heavy	34.50	31.50
7-8' Reg.	36.00	33.00
7-8' Heavy	39.50	36.00
8-9' "	45.00	41.00
9-10' "	54.00	

9-10' " 54.00

12-14' " 100.00 14-16' " 130.00

	202110	110102111		
(1)		Each	Each per 10	Each per 100
T. capitata	columnaris	(Columnar	Yew)	
$3\frac{1}{2}$ -4'		9.75	9.00	
$4-4\frac{1}{2}'$		13.00	12.00	
$4\frac{1}{2}-5'$		15.00	14.00	
$5\frac{1}{2}$ -6'		23.00	11.00	
$\frac{6}{6}$ -7'		31.00		
7-8'		36.00		
8-9'				
		45.00		
9-10′		54.00		
	ta capitata			
	upright vai			
	ose of T. na		ry slow	grower.)
$4-4\frac{1}{2}'$		16.00		
$4\frac{1}{2}$ -5 $^{\prime}$		19.50		
5-6'		26.00		
7 - 8'		39.00		
T. interme	edia (Hybrid	Yew)		
	reading Type			
15-18''		4.25	4.00	3.75
$1\frac{1}{2}$ -2'		5.25	5.00	4.75
$\overset{-2}{2}$ - $\frac{1}{2}$ '	37	6.75	6.25	÷ 1.10
$2rac{1}{2}$ - $3'$		9.00	0.20	*i'
$3-3\frac{1}{2}'$		14.00		
$3\frac{1}{2}$ - $4'$		18.00	. •	
_				
$4-4\frac{1}{2}'$		23.00		
T. media		atfield Yew		
15-18	,	$\frac{3.75}{4.50}$	3.50	3.25
$\frac{1\frac{1}{2}-2'}{2}$		4.50	4.25	4.00
$\frac{2-2\frac{1}{2}'}{21-2'}$	Dog	5.50	5.25	5.00
	Reg.	$\begin{array}{c} 6.75 \\ 8.00 \end{array}$		
	Heavy Reg.	9.00		
$3-3\frac{2}{2}$ $3-3\frac{1}{2}$	Heavy	12.00		
	(Hick's Yew)			
			2.00	0.75
$15-18'$ $1\frac{1}{2}-2'$		$\begin{array}{c} 3.25 \\ 3.75 \end{array}$	3.00	2.75
$\frac{1}{2}$ -2' 2 - $\frac{1}{2}$ '		5.00	3.50	3.25
_	Reg.	6.50		
_	•			
	cksi (contini			
$2\frac{1}{2}$ -3'	Heavy	7.50	7.00	
$3 - 3\frac{1}{2}'$	Reg.	8.50	7.75	
$3-3\frac{1}{2}'$	Heavy Heavy	9.75		
$4-4\frac{1}{2}'$	Heavy	16.00		
$4\frac{1}{2}-5'$	**	20.00		
5-6'	,,	27.00		
6-7'		32.00		
-	(Kelsey's Y			
$2 ext{-} 2 extstyle{\frac{1}{2}}'$		5.00	4.50	
$2\frac{1}{2}$ -3'		6.50	5.75	
$3-3\frac{1}{2}'$		8.50		

\$. \$*	Each	Each per 10	Each per 100
T. nana brevifolia (l	Dwarf Yew)		
$1\frac{1}{2}$ -2'	5.75	5.25	
$ ilde{2}$ - $2rac{1}{2}$ '	7.75	7.25	
$2\frac{1}{2} \cdot 3^{7}$	11.00		
T. vermeulen (Verm	eulen's Yew)		
$2-2\frac{1}{2}$	5.50	5.25	
$2\frac{1}{2} \cdot 3'$	6.75	6.25	
$\frac{-2}{3} \cdot 3\frac{1}{2}$	9.25	8.50	
THUJA occidentalis			e)
$2\frac{1}{2}$ -3'	2.75	2.50	2.25
$\overline{3}$ - $4'$	3.50	3.25	3.00
4-5'	4.50	4.25	4.00
5-6'	5.50		
F. occ. compacta & h (Parson's Arbo			
15-18"	2.25	2.00	1.75
15-16 1½-2'	2.75	$\frac{2.00}{2.50}$	$\begin{array}{c} 1.75 \\ 2.25 \end{array}$
$\frac{1}{2}$ -2 $2\cdot 2\frac{1}{2}$	$\frac{2.75}{3.25}$	$\frac{2.30}{3.00}$	$\frac{2.25}{2.75}$
$2\frac{2}{2}$ $2\frac{1}{2}$ $3'$	4.00	3.75	$\frac{2.75}{3.50}$
L ₂ -5 Γ. occ. nigra (Dark A	2.00		0.00
$2\frac{1}{2}$ -3'	3.00	2.75	2.50
3-4'	$\frac{3.75}{3.75}$	$\frac{2.75}{3.50}$	3.25
4-5'	5.00	4.50	4.25
f. occ. elegantissima			1.20
$2\frac{1}{2}$ -3'	3.25	3.00	2.75
3-4'	$\frac{3.23}{4.00}$	3.75	3.50
4-5'	5.00	4.50	$\frac{3.35}{4.25}$
5-6'	6.50	1.00	1.20
r. occ. pyramidalis (rh)	
$2-2\frac{1}{2}$	2.75	2.50	2.25
$2\frac{1}{2}\frac{1}{2}$	$\frac{2.73}{3.00}$	$\begin{array}{c} 2.30 \\ 2.75 \end{array}$	$\frac{2.25}{2.50}$
$\frac{22-5}{3-4'}$	3.75	3.50	$\frac{2.30}{3.25}$
4-5'	5.00	$\frac{3.50}{4.50}$	$\frac{3.25}{4.25}$
5-6'	6.00	1.00	1.20
'. occ. rosenthali (Ros			
$1\frac{1}{2}$ -2'	2.75	2.50	
$\frac{1}{2}$ -2 $2\cdot 2\frac{1}{2}$	$\begin{array}{c} 2.75 \\ 3.25 \end{array}$	۵.50	
$2\frac{2}{2}$ $2\frac{1}{2}$ $3'$	$\begin{array}{c} 3.25 \\ 4.25 \end{array}$		
$\frac{2}{3}$ -4'	5.00		
C. standishi (Standis			
8-10'			
10-12'	16.50		
	19.00		
C. occ. wareana (Sib		0.00	
$1\frac{1}{2}$ -2'	2.25	2.00	1.75
$\frac{2-2\frac{1}{2}'}{2}$	2.75	2.50	2.25
$\frac{2\frac{1}{2}-3'}{2}$	3.25	3.00	2.75
3-4'	5.00	4.50	
4-5'	6.50	till til ten	2.11
5-6'	8.00		
. orientalis nana au			
15-18′′	2.50	2.25	2.00

	Each	Each per-10	Each per 100
THUJA Orientalis Nana			PC1 100
18-24"	3.00	2.75	2.50
$2-2\frac{1}{2}'$	3.75	3.50	3.25
$2\frac{1}{2} - 3^{-7}$	4.50	4.00	3.75
TSUGA canadensis (Ca	nadian H	(emlock)	
11-2'	3.25	3.00	2.75
$2-2\frac{1}{2}$	3.75	3.50	3.25
$2\frac{1}{2}-3'$	4.75	4.50	4.25
3-31/	6.50	6.00	5.50
$3\frac{1}{2}-4'$	7.50	7.00	6.50
3½-4′ Heavy	9.00	8.50	0.50
4-5'	10.00	9.00	8.50
4-5' Heavy	13.00	12.00	0.50
5-6' "	15.00 17.00		
		16.00	
ULMUS americana (An			
$2\frac{1}{2}$ -3" Cal.	14.00	13.00	
$3-3\frac{1}{2}''$ "	19.00	17.50	
$3\frac{1}{2}-4''$ "	24.00	22.00	
4-5" "	29.00	26.50	
U. pumila (Siberian Eln	n)		
$2-2\frac{1}{2}$ " Cal.	11.50	10.50	
$2\frac{1}{2}$ -3"" "	14.50	13.50	
$3-3\frac{1}{2}''$	19.00	17.50	
VIBURNUM burkwoodi			
$2-2\frac{1}{2}'$ B&B	3.75	3.50	
$2\frac{1}{2} - 3'$	4.75	0.00	
VIBURNUM carlesi (F1	~	(ihurnum)	B&B
$2-2\frac{1}{2}'$	3.75	ioui num)	Бав
	0.10		
V. lentago (Nannyberry) 5-6'	9.00	1 25	
5-6 6-7'	$\frac{2.00}{3.00}$	1.75	
V. opulus (European Cra			
4-5'	1.50	1.25	
5-6'	1.75	1.50	
6-7'	2.50		
V. op. sterilis (Common)	
3-4'	1.50	1.25	
4-5'	1.75	1.50	
5-6'	2.50	2.25	-
6-7'	3.25		
V. rhytidophyllum (Leat			B&B
$1\frac{1}{2}$ -2'	3.00	2.75	
$\frac{2-2\frac{1}{2}'}{21-2'}$	$\frac{4.00}{5.00}$	3.75	
$2\frac{1}{2} - 3'$	5.00	4.50	
$\bar{3}$ -4'	6.50		
V. theiferum (Tea Vibu	rnum)		
3-4'	1.75	1.50	
4-5'	2.25	2.00	

	Each	Each per 10	Each per 100
V. tomentosum (I	ouble File Vib	urnum)	
3-4'	1.25	1.00	
4-5'	1.50	1.25	1.10
5-6'	2.00	1.75	1.50
6-7'	3.00		

WEIGELIA nana variegata (Variegated Foliage) 3-4' 1.25

WISTERIA sinensis, sinensis alba (Chin. Wisteria) 9 Year Grafts B&B \$8.50 each

LINING OUT TAXUS CAPITATA OR COLUMNARIS

(Upright Yew)

From field rows, several times transplanted and sheared. Can be safely shipped bare root, puddled. (Excellent Root System.)

ROW RUN	Each per 100
2-3' B.R.	3.75
3-4' "	4.75
3-4' B&B	5.50

LINING OUT STOCK Large Quality Liners

CHAN	MAECY	PARIS	plumosa
	(Green	Plume	Cypress)

12-15" .35
C. plumosa aurea (Golden Plume Cypress)

C.. plumosa squarrosa (Moss Cypress) 10-12" .35

THUJA occ. compacta (Globe Arborvitae) 8-12" .35

ILEX crenata (Spreading Type Jap Holly) 8-10".45

AZALEA amoena (purple-red)

2-3 Yrs. — Heavy

8-10" .50

A. kaempferi fedora (pink) 2-3 Yrs. — Heavy


12-15" .55

A. hinodegiri (Red)

2-3 Yrs. — Heavy 8-10" .65

A. Orange Beauty (Orange) 2-3 Yrs. — Heavy

10-12" .65



BULK'S NURSERIES

BABYLON, NEW YORK

Telephone MOhawk 9-4400